SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name: Bergamot Aromatherapy Oil Product Code: NWA0010 Group D

Application of the mixture: Aromatherapy: essential oils, blends of essential oils

CAS No: 8007-75-8

Company Name and Address: Bellitas Ltd,

Unit 12 Prospect Drive Britannia Enterprise Park Lichfield, Staffordshire WS14 9UX United Kingdom

Emergency Telephone No: +44 (0) 1543 416611

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC 1272/2008

- H413 May cause long-lasting harmful effects to aquatic life
- H226 Flammable liquid and vapour
 - H319 Causes serious eye irritation
 - H312 Harmful in contact with skin

The full text for all Risk Phrases and Hazard Statements are displayed in section 16

2.2 Label Elements







GHS08: Health hazard

Signal word:

DANGER

Hazard Statements:

H413 May cause long-lasting harmful effects to aquatic life
H226 Flammable liquid and vapour
H319 Causes serious eye irritation
H312 Harmful in contact with skin
Precautionary Statements:
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P302+352: IF ON SKIN: Wash with plenty of water.
P337+313: If eye irritation persists get medical advice/attention.
P233: Keep container tightly closed.

| 3.1 Substances | | | | |
|----------------------|---|---|------------------------|--------|
| Not ap | plicable - product is a mixture | 2 | | |
| 3.2 Mixtures/Ing | redients | | | |
| CITRU | S BERGAMIA RISSO | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Name/Form. | CAS / EC No. | Concentration | Classification | |
| Name/Form. MEO020 | CAS / EC No. 8007-75-8 | Concentration <95% w/w | Classification H413 | |
| | 8007-75-8 | | H413 | |
| • | • | | H413 H226 | |
| MEO020 | 8007-75-8 289-612-9 | <95% w/w | H413 H226 H319 | 19tivo |
| | 8007-75-8 289-612-9 Refreshing, uplifting a | <95% w/w nd antiseptic. The uplifting action | H413 H226 | |
| MEO020 | 8007-75-8 289-612-9 | <95% w/w | H413 H226 H319 | ati |

The full text for all R-Phrases and Hazard Statements are displayed in section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

| Inhalation | Breath fresh air, if dizziness or shortness of breath persists seek medical advice. |
|-----------------------------|---|
| Skin Contact Eye Contact | Rinse with soap and water. Wash well with water; if irritation persists seek medical advice. |
| Accidental Ingestion | Do not induce vomiting, drink copious amounts of water. Seek medical help. |

4.2 Most important symptoms and effects, both acute and delayed

| Inhalation | Symptoms unlikely from small amounts, but inhalation of large amounts may cause headaches, dizziness, unconsciousness. |
|--------------|---|
| Skin Contact | Prolonged skin contact may cause drying of the skin. |
| Eye Contact | If liquid gets into the eyes it may cause redness, stinging, watering of the eye. |
| Ingestion | Ingestion of the liquid may cause irritation to the throat and mouth, and symptoms similar to inhalation. |

4.3 Indication of any immediate and any special treatment needed

| Immediate / special treatment | Symptomatic treatment as required |
|-------------------------------|-----------------------------------|
|-------------------------------|-----------------------------------|

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguish with sand, earth, water spray, powder or CO2 extinguisher Use: Avoid:

High pressure water jet as this may spread the fire

5.2 Special Hazards arising from the substance or mixture

Unusual fire and explosion hazards

The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures Formation of toxic gases is possible during heating or in the case of a fire: Carbon monoxide (CO).

5.3 Advice for firefighters

Protective equipment for firefighters Wear self-contained breathing apparatus and full protective clothing. Keep all unnecessary people away Fire water run off must not be allowed to contaminate ground or enter drains, sewers or water courses. Provide bunding against fire water

Additional information

Cool endangered receptacles with water spray

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. Wear gloves when handling spillages. Wear protective equipment. Keep unprotected personal away.

6.2 Environmental precautions

Avoid spreading of the material. Contain spillages with sand, earth or suitable inert absorbent material. Prevent further spillages.

Do not allow to penetrate the ground/soil, enter drains or water courses. Cover drains. In the case of contamination of water courses or sewers advise the Environmental Agency, fire brigade and police.

6.3 Methods and materials for containment and cleaning up

Absorb with liquid binding material, vermiculite, sand, earth or suitable inert absorbent material.

Rinse site with copious amounts of water, which should not be allowed into drains, sewers or watercourses

Ensure adequate ventilation 6.4 Reference to other sections

See section 7 for information on safe handling

See section 8 for information on protective equipment

See section 13 for disposal information

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid ingestion and inhalation. Minimise personal exposure to the product. Ensure good interior ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Storage Store in a cool, dry place in full tightly sealed containers. Keep away from possible sources of combustion.

Incompatibilities

Store away from oxidising agents. Store away from alkalis (caustic solution). Store away from acids. **7.3 Specific end use(s)** No special precautions.

| SECTION 8: Expos | ure controls/personal pro | otection | |
|---|---|--|---|
| 8.1 Control parameter Workplace exposure li | mits | | |
| Name Std | TWA 8 hour exposure limit | STEL 15 minute exposure limit | Source/Type |
| DNELS Human oral Human dermal Human inhalation Human inhalation | Worker Systemic affects none stated | | Consumer Systemic effects |
| PNECS PNEC Aqua (Freshwater) PNEC Aqua (Marine) PNEC Sediment PNEC Soil | | | |
| 8.2 Exposure controls | | | |
| Engineering measures | Provide eyewash | station. | |
| Respiratory protection Hand protection | For prolonged con worn. Seek recon | If ventilation is insufficient suitable respiratory equipment must be provided. For prolonged contact with the product, suitable protective gloves conforming to EN374 should be worn. Seek recommendations from manufacturer or supplier. Contact lenses should not be worn when working with this chemical. Wear approved safety googles. | |
| Eye protection | | | |
| Skin protection | protective clothin | s of skin contact. Wash promptly if skin be g. Promptly remove non-impervious cloth r garments regularly. When using do not | hing that becomes contaminated. Launder |

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Other protective & hygiene measures

SECTION 9: Physical and chemical properties

9.1 Information on the basic physical and chemical properties

| Liquid |
|------------------------------|
| 0.83 - 1.1 |
| None |
| None specified |
| 0.85 - 0.95 |
| None specified |
| Typically 2-12% |
| 36°Ccc |
| None specified |
| Circa 24°C |
| Insoluble in water |
| n/a |
| Not determined |
| Natural fragrance from oils. |
| An aromatic oily liquid. |
| |

| 10.1 Reactivity | Not considered to be reactive |
|---|---|
| 10.2 Chemical stability | Stable under normal conditions and storage. See section 7 |
| 10.3 Possibility of hazardous reactions | Thermal decomposition may release CO2, CO and unidentified organic compounds |
| 10.4 Conditions to avoid | High temperatures, flames and other sources of ignition. |
| 10.5 Incompatible materials | Strong oxidising agents, strong acids, strong alkalis. |
| 10.6 Hazardous decomposition products | Thermal decomposition or combustion may include oxides of carbon or nitrogen. |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its major components.

| Acute toxicity | This product has not been subjected to toxicity testing. |
|--|---|
| Inhalation Skin contact Ingestion Eye contact | In high concentrations vapours may cause headache, fatigue, dizziness and nausea Prolonged and frequent exposure may cause skin dryness and cracking Gastrointestinal symptoms, including upset stomach Irritating to the eyes |
| Comments | This product has been assessed as safe to use under normal conditions of use and according to instructions. |

SECTION 12: Ecological information

This product has not been subjected to toxicological testing. Judgements on the expected toxicity of this product have been made based upon consideration of its major components.

This product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment

12.1 Toxicity Toxicity to fish approx. 30mg/l Toxicity to invertebrates 0.1-1mg/l Toxicity to algae 0.1-1mg/l 12.2 Persistence and degradability Readily biodegradable. 12.3 Bioaccumulation There is no evidence of bio accumulative. 12.4 Mobility in soil No further relevant information available 12.5 Results of PBT and vPvB assessment Not applicable 12.6 Other adverse effects No further relevant information available

SECTION 13: Disposal considerations

Do not discharge directly into drains, into soil or into the aquatic environment. Product disposal must by means of a licenced waste contractor. Product is hazardous waste. Disposal must by means of a licenced waste contractor.

SECTION 14: Transport information

| 14.1 UN number | | |
|--|----------------|------------------------------|
| UN No. (ADR/RID/IMDG/IATA) | UN1197 | |
| 14.2 UN proper shipping name | Extracts, Liqu | uid |
| 14.3 Transport hazard class(es) | | |
| ADR, IMDG, IATA | 3 | Flammable liquids |
| | 3 | Label Class |
| 14.4 Packing group | III | (ADR/RID/AND/IMDG/ICAO,IATA) |
| 14.5 Environmental hazards | | |
| Marine pollutant | Yes | |
| 14.6 Special precautions for user | | |
| Danger code (Kemlar)/hazard no. (ADR) | 30 | |
| EMS no. | F-E, S-D | |
| Tunnel restriction code | D/E | |
| 14.7 Transport in bulk according to annex II | | |
| of Marpol and the IBC Code | Not applicab | le |
| 14.8 Additional information | | |
| Limited quantities (LQ) | 5 | Litre(s) |
| EC N° | 289-612-9 | |
| | | |

SECTION 15: Regulatory information

15.1 Safety, health and environment regulations/legislation specific for the substance or mixture All components are listed as existing substances in Europe

15.2 Chemical safety assessment

A product Safety Assessment has been carried out in accordance with EC 1223/2009, Cosmetic Product Safety Regulations.

SECTION 16: Other information

Classification of the mixture is in general based on calculation method using substance data, as required by (EC) 1272/2008

Abbreviations and acronyms used in the safety data sheet

| CAS No | Chemical Abstracts Service number |
|------------|---|
| DNEL | Derived No-Effect Level |
| EC | European Community |
| EEC | European Economic Community |
| EMS No | Emergency Response Procedure number |
| Eye Irrit. | Eye Irritant |
| Flam. Liq. | Flammable Liquid |
| hPa | 1 hPa = 100 Pa (Pascal) |
| LC50 | Lethal Concentration, 50% |
| LD50 | Lethal Dose, 50% |
| PBT | Persistent, Bio accumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| Ppm | Parts Per Million |
| REACH | Registration, Evaluation, Authorisation and Restrictions of Chemicals |
| STOT | Specific Target Organ Toxicity |
| vPvB | Very Persistent and Very Bio accumulative |
| WEL | Workplace Exposure Limit |
| | |

Hazardous and Precautionary Statements in full used in section 2 and 3

Hazard Statements:

H413 May cause long-lasting harmful effects to aquatic life

H226 Flammable liquid and vapour

H319 Causes serious eye irritation

H312 Harmful in contact with skin

Precautionary Statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P302+352: IF ON SKIN: Wash with plenty of water.

P337+313: If eye irritation persists get medical advice/attention.

P233: Keep container tightly closed.

Version 20: 1 Issue Date: 15/10/2024

WE BELIEVE THAT THE INFORMATION CONTAINED HEREIN IS CURRENT AS OF THE DATE OF THIS SAFETY DATA SHEET. IT IS THE USERS OBLIGATION TO DETERMINE CONDITIONS OF SAFE USE OF THIS PRODUCT.